

**TEXSONIC**

**TUC SERIES**



LEADING PLAYER IN  
INDUSTRIOUS PRECISION  
CLEANING SYSTEM



Top Lid



Basket

The TEXSONIC's TUC series ultrasonic cleaner is an economic model that offer functionality such as LED display shows, sensitive touch button and auto start temperature controlled. This model offer the simplest technical features that guarantee better results.



## LED Display

This LED screen displaying the cleaner functionality such as process timer in minutes and second also display the set temperature with actual temperature.

## Sensitive Touch Button

The sensitive touch button design to pro-long lifespan due to long-standing usage, button contain with on/off button, start/pause button also button to vary the value of timer and temperature.

## On/Off Button

To turn ON / OFF Bench Top Ultrasonic Cleaner Power

## Start/Pause Button

To turn START / PAUSE the cleaning process

# SPECIFICATIONS

Model	TUC-10H
Capacity	0.7 L
Basket Dimension (MM)	120 x 62 x 45
Internal Tank Dimension (MM)	150 x 86 x 65
Cleaner Outer Dimension (MM)	159 x 95 x 180
Ultrasonic Power (W)	60
Ultrasonic Frequency (kHz)	40 kHz
Heating Power (W)	60
Drain Valve	N/A
Power Supply	220V , 1 phase , 50 Hz

Top Lid	
Basket	
Drain Tap	
Handle	

Model	TUC-20H
Capacity	2.0 L
Basket Dimension (MM)	108 x 92 x 85
Internal Tank Dimension (MM)	150 x 135 x 100
Cleaner Outer Dimension (MM)	161 x 149 x 217
Ultrasonic Power (W)	60
Ultrasonic Frequency (kHz)	40 kHz
Heating Power (W)	100
Drain Valve	N/A
Power Supply	220V , 1 phase , 50 Hz

Top Lid	
Basket	
Drain Tap	
Handle	

# SPECIFICATIONS

Model	TUC-30H
Capacity	4.0 L
Basket Dimension (MM)	248 x 110 x 85
Internal Tank Dimension (MM)	300 x 150 x 100
Cleaner Outer Dimension (MM)	311 x 161 x 230
Ultrasonic Power (W)	120
Ultrasonic Frequency (kHz)	40 kHz
Heating Power (W)	220
Drain Valve	N/A
Power Supply	220V , 1 phase , 50 Hz

Top Lid	
Basket	
Drain Tap	
Handle	

Model	TUC-40H
Capacity	6.0 L
Basket Dimension (MM)	248 x 110 x 118
Internal Tank Dimension (MM)	300 x 150 x 150
Cleaner Outer Dimension (MM)	311 x 161 x 315
Ultrasonic Power (W)	180
Ultrasonic Frequency (kHz)	40 kHz
Heating Power (W)	270
Drain Valve	N/A
Power Supply	220V , 1 phase , 50 Hz

Top Lid	
Basket	
Drain Tap	
Handle	

# SPECIFICATIONS

Model	TUC-50H
Capacity	10.0 L
Basket Dimension (MM)	260 x 202 x 95
Internal Tank Dimension (MM)	302 x 239 x 150
Cleaner Outer Dimension (MM)	311 x 248 x 315
Ultrasonic Power (W)	240
Ultrasonic Frequency (kHz)	40 kHz
Heating Power (W)	310
Drain Valve	3/8"
Power Supply	220V , 1 phase , 50 Hz

Top Lid	
Basket	
Drain Tap	
Handle	

Model	TTUC-60H
Capacity	13.0 L
Basket Dimension (MM)	287 x 224 x 185
Internal Tank Dimension (MM)	300 x 240 x 200
Cleaner Outer Dimension (MM)	335 x 266 x 345
Ultrasonic Power (W)	300
Ultrasonic Frequency (kHz)	40 kHz
Heating Power (W)	420
Drain Valve	3/8"
Power Supply	220V , 1 phase , 50 Hz

Top Lid	
Basket	
Drain Tap	
Handle	

# SPECIFICATIONS

Model	TTUC-100H
Capacity	30.0 L
Basket Dimension (MM)	452 x 260 x 138
Internal Tank Dimension (MM)	500 x 300 x 200
Cleaner Outer Dimension (MM)	525 x 325 x 365
Ultrasonic Power (W)	460
Ultrasonic Frequency (kHz)	40 kHz
Heating Power (W)	470
Drian Valve	1/2"
Power Supply	220V , 1 phase , 50 Hz

Top Lid	✓
Basket	✓
Drain Tap	✓
Handle	✓

**CONTACT US**

**TEXSONIC**

**SONICTRON SDN BHD (648724-V)**

NO.10, JALAN SG RASA 37/KU1, KAW  
PERINDUSTRIAN SG. RASAU,  
41300 KLANG, SELANGOR D.E. MALAYSIA  
TEL: +603 3359 5902 FAX: +603 3359 5912

EMAIL: [info@sonictron.com.my](mailto:info@sonictron.com.my)



If you have any enquiry, please do not hesitate to contact us. Our team of friendly consultants are on hand to provide personalized services to our customer